





**TDS PRODUCT IMAGE SHEET – CATEGORY > VALVES**

Image	TDS Part Number & Description	OE & Alternative Part References (WHERE FITTED)
	<p align="center"><b>VAL001U</b> AIR BLEED UNIVERSAL SPOOL VALVE</p>	<p><b>214910</b> <i>Peters</i>  <b>216376</b> <i>Peters</i>  <b>216993-68/95</b> <i>Peters</i>  <b>023269</b> <i>Deans</i>  <b>031032</b> <i>Deans</i>  <b>042085</b> <i>Deans</i>  <b>018055</b> <i>Deans</i>  <b>0108878</b> <i>Deans</i>  <b>0110197</b> <i>Deans</i></p>
	<p align="center"><b>VAL002U</b> AIR BLEED 24V DOUBLE SOLENOID UNIVERSAL SPOOL VALVE</p> <p align="center">SEE <b>VAL102U</b> FOR UPGRADE ON OPTARE VEHICLES</p>	<p><b>214911</b> <i>Peters</i>  <b>216377</b> <i>Peters</i>  <b>216993-69/96</b> <i>Peters</i>  <b>023271</b> <i>Deans</i>  <b>031132</b> <i>Deans</i>  <b>039048</b> <i>Deans</i>  <b>042084</b> <i>Deans</i></p>
	<p align="center"><b>VAL003U</b> PRESSURE APPLIED 24V DOUBLE SOLENOID UNIVERSAL SPOOL VALVE (UPGRADED VALVE "C" JUN12)</p>	<p><b>216993-97 (58)</b> <i>Peters</i>  <b>217197</b> <i>Peters</i></p>
	<p align="center"><b>VAL004A</b> 24v double solenoid spool valve G4 ports high flow rate SEE ALTERNATIVE</p>	<p><b>216993-07</b> <i>Peters</i>  <b>214795</b> <i>Peters</i></p>

	<p><b>VAL005A</b> SOFT START VALVE 1/4BSP-8mm</p>	<p><b>216993-17</b> Peters <b>215212</b> Peters</p>
	<p><b>VAL006F</b> EPV 24V NC 3/2 VALVE UNIVERSAL 2x1/8.BSP &amp; 1xM5 PORTS</p>	<p><b>216993-57</b> Peters <b>200182</b> Peters <b>5774650220</b> Rexroth <b>22123A24</b> Masats</p>
 <p>VAL007F</p>	<p><b>VAL007F</b> EPV 12V NC 3/2 VALVE UNIVERSAL 2x1/8.BSP &amp; 1xM5 PORTS</p>	<p><b>216993-61</b> Peters <b>200184</b> Peters</p>
	<p><b>VAL008P</b> MINIATURE BUTTON VALVE (NC) With 4mm pipe fittings</p>	<p><b>216389</b> Peters <b>216993-87</b> Peters <b>K922</b> Ventura</p>
 <p>VAL009U</p>	<p><b>VAL009U</b> UDV STD ELECTRIC VALVE with 4mm O/D pipe fittings</p>	<p><b>216993-71</b> Peters <b>215482</b> Peters <b>215494</b> Peters</p>
	<p><b>VAL010B</b> ROLLER VALVE 1/8.BSP PORTS</p>	<p><b>218073-16</b> Peters</p>

	<p><b>VAL010U</b> 24V CONTROL BLOCK ASSY</p> <p>OPTION &gt; See <b>VAL057U-02-KIT</b> to replace main valve on <b>216993-46</b> only</p> <p>If required Single shot timer see <b>ELE502</b></p> 	 <b>216993-46</b> Peters  <b>216219</b> Peters  <b>214850</b> Peters
	<p><b>VAL011U</b> UDV STANDARD PNEUMATIC VALVE with 4mm O/D pipe fittings</p>	<p><b>216993-79</b> Peters</p>
	<p><b>VAL012U</b> MIDEGT 3/2 SPOOL VALVE</p>	<p><b>216993-77</b> Peters <b>200154</b> Peters</p>
	<p><b>VAL013A</b> DUMP VALVE ASSEMBLY - MANUALLY OPERATED</p>	<p><b>215524</b> Peters</p>
	<p><b>VAL013A-KIT-01</b> WITH 8mm ELBOWS <b>VAL013A-KIT-02</b> WITH 6mm ELBOWS</p>	<p><b>TDS</b></p>
	<p><b>VAL013A-KIT-07</b> DUMP VALVE – MANUAL + WITH BRACKET &amp; 6mm ELBOWS</p>	<p><b>VAL013A-KIT-07</b> TDS</p>

	<p><b>VAL017B</b> EPV24V SOLENOID N/O 3/2 DUMP VALVE</p>	<p><b>VAL017B</b> TDS</p>
	<p><b>VAL018B</b> SOLENOID PLUG &amp; CABLE for VAL017/19B</p>	<p><b>VAL018B</b> TDS</p>
	<p><b>VAL019B</b> EPV-24V SOLENOID N/C 3/2 VALVE</p>	<p><b>VAL019B</b> TDS</p>
	<p><b>VAL022B</b> FESTO SOLENOID (FOR VAL001B)</p>	<p><b>VAL022B</b> Peters</p>
 <p>VAL024B</p>	<p><b>VAL024B</b> 5/2 PILOT/PILOT VALVE 1/4.BSP PORTS Pressure Applied Valve</p>	
	<p><b>VAL025F</b> 3/2 VALVE PILOT-SPRING RETURN PILOT=1/8.BSP &amp; 1/4.BSP PORTS <b>(SEE ALSO VAL082U WITH 1/8 BSP FOR PILOT &amp; PORTS)</b> Pressure Applied Valve</p>	<p><b>B43003PS</b> Parker</p>
 <p>VAL026A</p>	<p><b>VAL026U</b> UDV SOFT 5N PNEUMATIC VALVE with 4mm O/D pipe fittings</p>	<p><b>216993-80</b> Peters</p>








	<p><b>VAL029U</b> 5/2 AIRBLEED <b>VALVE-A</b> USED ON VAL001U &amp; VAL102U</p>	<p><b>TDS</b></p>
	<p><b>VAL030U</b> 5/2 AIRBLEED SOLENOID 24v <b>VALVE</b> <b>-B</b> USED ON VAL002U</p>	<p><b>TDS</b></p>
	<p><b>VAL031U</b> 5/2 PRESSURE APPLIED 24V <b>VALVE-C</b> USED ON VAL003U (UPGRADED VALVE "C" JUL-17)</p>	<p><b>VAL031U TDS</b></p>
	<p><b>VAL034U</b> SOLENOID COIL 24v FOR VAL002&amp;3U</p>	<p><b>VAL034U TDS</b></p>
	<p><b>VAL035U</b> SOLENOID COIL 12v</p>	<p><b>VAL035U TDS</b></p>
	<p><b>VAL036U-GAS</b> UNIVERSAL SPOOL VALVE GASKET</p>	<p><b>VAL036U-GAS TDS</b></p>

	<p><b>VAL037U</b> 5/2. 24V D/SOLENOID WITH M5.PILOTS EACH END &amp; . 1/4.BSP PORTS Pressure Applied Valve</p>	<p><b>VAL037U</b> TDS</p>
	<p><b>VAL037U-KIT100</b> 5/2. 24V D/SOLENOID. M5.PILOTS EACH END &amp; . 1/4.BSP PORTS. FITTED WITH 4mm &amp; 6mm FITTINGS Pressure Applied Valve</p>	<p><b>VAL037U-KIT100</b> TDS</p>
	<p><b>VAL038F</b> ASCO PILOT SOLENOID VALVE</p>	<p><b>VAL038F</b> TDS</p>
 <p>VAL028</p>	<p><b>VAL040U</b> UDV VALVE SWITCH PNP PXBB1921 (VAL026U)</p>	<p><b>VAL040U</b> TDS</p>
	<p><b>VAL041U</b> UDV SOFT 5N ELECTRIC SWITCH with 4mm O/D pipe fittings</p>	<p><b>216993-72</b> Peters <b>217430-300</b> Peters</p>
	<p><b>VAL042U-KIT-01</b> PRESSURE LIMITING VALVE + 8mm STUD FITTINGS</p>	<p><b>VAL042U-KIT-01</b> TDS <b>D10024 Alt</b> Deans</p>
 <p>VAL045U</p>	<p><b>VAL045U</b> 5/2 PILOT SPRING VALVE With 4mm &amp; 6mm pipe fittings Pressure Applied Valve</p>	<p><b>037967</b> Deans</p>

 <p>VAL046U</p>	<p><b>VAL046U</b> 5/2 SOLENOID SPRING VALVE With 4mm &amp; 6mm pipe fittings &amp; M5 pilot fitting Pressure Applied Valve</p>	<p><b>037966</b> Deans</p>
	<p><b>VAL047U</b> 5/2 PILOT SPRING VALVE with all ports 1/8.BSP Pressure Applied Valve</p>	<p><b>D17881</b> Deans</p>
	<p><b>VAL049U</b> PULSE GENERATOR with 4mm O/D pipe fittings</p>	<p><b>044257</b> Deans</p>
	<p><b>VAL050U</b> DEANS NONE RETURN VALVE 8mm push in fit</p>	<p><b>0102194</b> Deans</p>
	<p><b>VAL051U</b> 5/2 PILOT/PILOT VALVE With 1/8.BSP PORTS with 4mm &amp; 6mm pipe fittings Pressure Applied Valve</p>	<p><b>B43004PP</b> Parker</p>
 <p>VAL053 068009</p>	<p><b>VAL053</b> ROTARY VALVE DISC</p>	<p><b>068009</b> Deans</p>
	<p><b>VAL054U</b> UN'L PILOT PRESSURE APPLIED S/V</p>	<p><b>V34Y00XXG</b> Parker</p>

	<p><b>Obsolete -Ref only</b></p> <p><b>VAL055</b>          QUICK EXHAUST VALVE          With 1/4.BSP PORTS</p>	<p><b>3341A</b> <i>Parker</i></p>
	<p><b>VAL055-RK</b>          GASKET FOR QUICK EXHAUST VALVE</p>	<p><b>3341A</b> (GASKET) <i>Parker</i></p>
	<p><b>VAL057U-02-KIT</b>          5/2 VALVE BOSCH REPLACEMENT ON          CONTROL MODULE          With 1/8.BSP PORTS          with 4mm &amp; 6mm pipe fittings          Pressure Applied Valve</p>	<p><b>216993-58</b> Valve Only  <i>Peters</i></p>
	<p><b>VAL058U</b>          24V SOLENOID COIL          FOR VAL102U</p>	<p><b>VAL058U</b> <i>TDS</i></p>
 <p>VAL059U</p>	<p><b>VAL059U</b>          24v SOLENOID SPOOL VALVE          with 4mm &amp; 6mm pipe fittings          Pressure Applied Valve</p>	<p><b>031135</b> <i>Deans</i>  <b>037843</b> <i>Deans</i>  <b>042087</b> <i>Deans</i></p>
 <p>VAL063U</p>	<p><b>VAL063U</b>          5/2 AIR BLEED VALVE          With 1/8.BSP PORTS</p>	<p><b>KVF94521</b> <i>Overton</i>  <b>KV9-45-Z1</b>  <b>B53004A</b> <i>Parker</i></p>
	<p><b>VAL080U</b>          5/2 SINGLE 24V SOLENOID-AIRBEELD          VALVE KIT</p>	<p><b>VAL063U-01-KIT</b> <i>TDS</i></p>



	<p><b>VAL067</b> SOFT START VALVE SMC With 1/4.BSP PORTS</p>	<p><b>ASS110-01</b> SMC or <b>ASS110-01B</b> SMC</p>
	<p><b>VAL080U</b> 5-2 VALVE D-SOLENOID 24V PILOT - M5 &amp; 1/8.BSP PORTS Pressure Applied Valve</p>	<p><b>VAL080U</b> TDS</p>
	<p><b>VAL080-01</b> 5-2 VALVE D-SOLENOID 24V &amp; PILOT M5 &amp; 1/8.BSP PORTS With 4mm &amp; 6mm pipe fittings Pressure Applied Valve</p>	<p><b>042087</b> Deans (ADL E400 Restricted Space)</p>
	<p><b>VAL081U</b> 5-2 VALVE 24V SOLENOID PILOT- SPRING RETURN. With M5 pilot &amp; 1/8.BSP PORTS Pressure Applied Valve</p>	<p><b>VAL081U</b> TDS</p>
	<p><b>VAL082U</b> 3/2 PILOT SPRING RETURN VALVE 1/8.BSP PORTS &amp; PILOT</p>	<p><b>VAL082U</b> TDS  B43003PS=PARKER 338-035 = CAMOZZI= KVF843 or KVL843 = KV</p>
	<p><b>VAL082-KIT-01</b> INDEPENDANT LEAF CONTROL VALVE KIT 1/8.BSP PORTS &amp; PILOT With 4mm or 6mm pipe fittings Pressure Applied Valve</p>	<p><b>VAL082-KIT-01</b> TDS</p>
	<p><b>VAL084U</b> 5-2 VALVE SOLENOID 24V SPRING RETURN with 1/4bsp ports Pressure Applied Valve</p>	<p><b>VAL084U</b> TDS</p>

	<p><b>VAL085</b> DETECTION VALVE ELEC – MASATS</p>	<p><b>22327C00</b> <i>Masats</i></p>
	<p><b>VAL086</b> ROTARY VALVE WITH HANDLE Ports =1/4bsp</p>	<p><b>021851</b> <i>Deans</i></p>
	<p><b>VAL088U</b> 3/2 SOLENOID 24V - PILOT RETURN NC VALVE. 1/8bsp ports &amp; M5 pilot With 4mm pipe fitting Pressure Applied Valve</p>	<p><b>M800133GTF &amp; B3S5BB549H</b> <i>Parker</i></p>
	<p><b>VAL100U</b> 5/2 SOLENOID 24v SPOOL VALVE With 4mm or 6mm pipe fittings &amp; 1/4bsp inlet Pressure Applied Valve</p>	<p><b>031141</b> <i>Deans</i> <b>037968</b> <i>Deans</i></p>
	<p><b>VAL102U</b> AIR BLEED SOLENOID SPOOL VALVE HD With 4mm- 6mm &amp; 8mm pipe fittings</p>	<p><b>VAL102U</b> <i>TDS</i></p>
	<p><b>VAL104D</b> MINIATURE 3 PORT PUSH BUTTON VALVE With 4mm pipe fittings</p>	<p><b>039727</b> <i>Deans</i></p>
	<p><b>VAL104U</b> MINIATURE PUSH BUTTON VALVE With 4mm pipe fittings</p>	<p><b>039727 ALT</b> <i>Deans</i></p>

	<p><b>VAL117U</b> SOLENOID/PILOT G4 IKARUS COACH (ALT) PILOT M5 &amp; 1/4.BSP PORTS With 4mm &amp; 8mm pipe fittings Pressure Applied Valve</p>	<p><b>54101019</b> <i>Joucomatic</i></p>
	<p><b>VAL118E</b> EPV-24V WEBER SOLENOID VALVE 3/2 NC With 1/8bsp ports</p>	<p><b>VAL118</b> <i>TDS</i></p>
	<p><b>VAL119</b> LIMITING VALVE PARKER (SEE VAL042U-KIT-01 ALT) With 1/4bsp ports</p>	<p><b>D10024</b> <i>Deans</i></p>
	<p><b>VAL121</b> SOFT START VALVE ASSY</p>	<p><b>0107262</b> <i>Deans</i></p>
	<p><b>VAL122</b> PUSH PULL 5/2 VALVE With 4mm pipe fittings</p>	<p><b>028251</b> <i>Deans</i></p>
	<p><b>VAL125</b> DEANS ROLLER LEVER VALVE (PCX-M121) With 4mm pipe fittings</p>	<p><b>0100221</b> <i>Deans</i></p>



	<p><b>VAL127</b> WABCO RELAY VALVE</p>	<p><b>9710021520</b> <i>Wabco</i></p>
	<p><b>VAL186</b> MASATS 5/2 VALVE 24V (REPAIR KIT VAL186-RK)</p>	<p><b>22129A24</b> <i>Masats</i></p>
	<p><b>VAL186-RK</b> REPAIR KIT FOR MASATS 5/2 VALVE 24V 22129A (VAL186)</p>	<p><b>2002329</b> <i>Masats</i></p>
	<p><b>VAL188</b> 24v Double Solenoid Valve &amp; Block</p>	<p><b>22114A24</b> <i>Masats</i></p>
	<p><b>VAL189</b> 24v Single Solenoid Valve &amp; Block</p>	<p><b>22115A24</b> <i>Masats</i></p>
	<p><b>VAL190</b> 3/2 NC Roller Lever Valve (OPXS150)</p>	<p><b>22016A04</b> <i>Masats</i></p>
	<p><b>VAL191</b> 6MM INLINE MINI BALL DUMP VALVE</p>	



	<p><b>VAL194</b> 24V NO 3-2 Sol Valve 1-8 Ports</p>	<p><b>22131A24</b> <i>Masats</i></p>
	<p><b>A160</b> OBSTRUCTION DETECTION VALVE With 4mm pipe fittings</p>	<p><b>A160</b> <i>Ventura</i> WRIGHTBUS ECLIPSE SD PS + GEMINI DD PS + STREETCAR PS + STREETLITE SD PS + NBFL IG4 PLAT/PS, ADL E200 SD PS + E400 DD PS, PLAXTON PRESIDENT DD, EAST LANCS SD IG3/PS + OLYMPUS DD IG3/PS, OPTARE SD PS VERSA + TEMPO, MCV SD EVOLUTION PS, BLUEBIRD SD RS</p>
 <p>A517</p>	<p><b>A517</b> 5/2 VDMA 24VDC 1/8.BSP ALL PORTS Pressure Applied Valve</p>	<p><b>A517</b> <i>Ventura</i> WRIGHTBUS GEMINI DD PS</p>
	<p><b>B309</b> 4/2 EMERGENCY VALVE M10x1</p>	<p><b>B309</b> <i>Ventura</i> <b>216993-45</b> <i>Peters</i> PART OF F184 WRIGHTBUS GEMINI DD PS</p>
	<p><b>B310</b> ROTARY GRIP FOR 4/2 EMERG. VALVE</p>	<p><b>B310</b> <i>Ventura</i> <b>216993-44</b> <i>Peters</i> PART OF F184 WRIGHTBUS GEMINI DD PS</p>
	<p><b>C247</b> PNEUMATIC BASE CONTROL UNIT WABCO MTS G4 PORTS  BASE UNIT FOR &gt; F060, F070, F689, G926, I883 &amp; Others</p>	<p><b>C247</b> <i>Ventura</i> <b>049740</b> <i>Deans</i> <b>4726000220</b> <i>Wabco</i> <b>A0007607078</b> <i>Bode</i> WRIGHTBUS NBFL DD PS, ADL E200 SD PS + E400 DD PS, MCV SD EVOLUTION PS, WRIGHTBUS STREETLITE SD PS</p>


	<p align="center"><b>C247-RK</b> REPAIR KIT FOR WABCO BASE CONTROL VALVE</p>	<p align="center"><b>C247-RK</b> TDS FOR USE ON &gt; C247, F060, F070, F689, G926, I883</p>
	<p align="center"><b>E114</b> OR VALVE G1/8/6 ASSY</p>	<p align="center"><b>E114</b> Ventura EAST LANCS SD PS, POLISH SCANI OMNICITY DD IG3</p>
	<p align="center"><b>E369</b> 5/2 DUMP VALVE 24vdc FOR WABCO SOLENOID SPRING RETURN <b>(REPLACED BY U174)</b></p>	<p align="center"><b>E369</b> Ventura WRIGHTBUS STREETCAR PS</p>
	<p align="center"><b>E469</b> 5/2 VALVE 24VDC SOLENOID SPRING RETURN 1/8.BSP PORTS &amp; M5 PILOT <b>(REPLACED BY P985-KIT)</b></p>	<p align="center"><b>E469</b> Ventura WRIGHTBUS ECLIPSE SD PS + GEMINI DD PS + STREETCAR PS, ADL E300 SD IG3 + E400 DD IG3/PS, EAST LANCS SD IG3/PS, MCV SD EVOLUTION PS</p>
	<p align="center"><b>E470</b> 5/2 INTERLOCK VALVE SOLENOID SPRING RETURN <b>(REPLACED BY Q003-KIT)</b></p>	<p align="center"><b>E470</b> Ventura WRIGHTBUS ECLIPSE SD PS + GEMINI DD PS + STREETLITE SD PS, ADL E200 SD PS + E300 SD IG3 + E400 DD IG3/PS, PLAXTON PRESIDENT DD PS, EAST LANCS SD IG3/PS + OLYMPUS DD IG3/PS, OPTARE SD VERSA PS + TEMPO PS, MCV SD EVOLUTION PS</p>
	<p align="center"><b>F070</b> WABCO PNEUMATIC CONTROL ASSY MTS</p>	<p align="center"><b>F070</b> Ventura WRIGHTBUS ECLIPSE SD PS + GEMINI DD PS + STREETCAR PS, OPTARE SD VERSA PS + TEMPO PS</p>

	<p><b>F184</b> EMERGENCY VALVE ASSY 6mm Push in Con's</p>	<p><b>F184</b> <i>Ventura</i> WRIGHTBUS ECLIPSE SD PS + GEMINI DD PS, ADL E400 DD PS, PLAXTON PRESIDENT DD PS, EAST LANCS SD PS + OLYMPUS DD PS, MCV SD EVOLUTION PS, POLISH SCANIA OMNICITY DD IG3/PS</p>
	<p><b>F689</b> WABCO PNEUMATIC CONTROL ASSY MTS ASSY</p>	<p><b>F689</b> <i>Ventura</i> POLISH SCANIA OMNICITY DD IG3/PS</p>
	<p><b>G106</b> 5/2 VALVE PILOT-SPRING RETURN 1/8.BSP ALL PORTS</p>	<p><b>G106</b> <i>Ventura</i> MAN AIRPORTBUS</p>
	<p><b>G525</b> WABCO VALVE ASSY</p>	<p><b>G525</b> <i>Ventura</i> PLAXTON PRESIDENT DD PS</p>
	<p><b>G914</b> OR LOGIC VALVE G1/8/4 ASSY With 4mm pipe fittings</p>	<p><b>G914</b> <i>Ventura</i> WRIGHTBUS STREETLITE SD IG4, ADL E200 SD IG4 + E300 SD IG3/IG4 + E400 DD IG3/IG4/PS, OPTARE SD VERSA PS + TEMPO PS, MCV SD 112/124RLE IG4, TEMSA SD IG4</p>
	<p><b>G926 (F060)</b> WABCO PNEUMATIC CONTROL ASSY MTS ASSY STEEL FITTINGS</p>	<p><b>G926 (F060)</b> <i>Ventura</i> WRIGHTBUS GEMINI DD PS, POLISH SCANIA OMNICITY DD IG3</p>

	<p><b>H834</b> 5/2 BI-STABLE VALVE 24v With 4mm- 6mm pipe fittings</p>	<p><b>H834</b> <i>Ventura</i> WRIGHTBUS ECLIPSE SD IG3/IG4 + GEMINI DD IG3 +STREETLITE SD IG4, ADL E300 SD IG3/IG4 + E400 DD IG3/IG4, EAST LANCS SD IG3 + OLYMPUS DD IG3, MCV SD 112/124RLE IG4, TEMSA SD IG4</p>
	<p><b>H834-RK</b> VALVE WEAR PARTS REPAIR KIT (Items: 2,11,16,17,20,21,22,26)</p>	<p><b>H834-RK</b> <i>TDS</i> ALSO COVERS N179</p>
	<p><b>H877</b> 5/2 BI-STABLE VALVE JMFH-5-1/8-B ASSY With 4mm- 6mm pipe fittings Pressure Applied Valve</p>	<p><b>H877</b> <i>Ventura</i> WRIGHTBUS DD KMB</p>
	<p><b>H889</b> NON- RETURN VALVE G4-8mm</p>	<p><b>H889</b> <i>Ventura</i></p>
	<p><b>I883</b> WABCO 24v PNEUMATIC ASSY - MTS</p>	<p><b>I883</b> <i>Ventura</i> WRIGHTBUS NBFL DD PS, ADL E200 SD PS + E400 DD PS, MCV SD EVOLUTION PS, WRIGHTBUS STREETLITE SD PS</p>
	<p><b>J089</b> 5/2 VALVE 24VDC G1/8 SUB</p>	<p><b>J089</b> <i>Ventura</i> POLISH SCANIA OMINCITY DD IG3/PS</p>



	<p><b>J090</b> 5/2 VALVE BI-STABLE PNEU. ASSY  (BEING REPLACED BY Q331-KIT JU15 &gt;)</p>	<p><b>J090</b> <i>Ventura</i> POLISH SCANIA OMINCITY DD IG3/PS</p>
	<p><b>J097</b> 12V SOLENOID COIL MSFG-12-OD</p>	<p><b>J097</b> <i>Ventura</i></p>
	<p><b>J463</b> SLOW-START VALVE (8mm con) to 2x6mm Fittings</p>	<p><b>J463</b> <i>Ventura</i> BLUEBIRD SD RS, MCV DD EVOSETI IG4</p>
	<p><b>M466</b> 5/2 BI-STABLE VALVE 12VDC (2x4mm &amp; 1x 6mm elbow) Pressure Applied Valve</p>	<p><b>M466</b> <i>Ventura</i> BLUEBIRD ORION RS (PNEU)</p>
	<p><b>N179</b> 5/2 VALVE BI-STABLE FESTO 24V With 4mm- DOUBLE 6mm pipe fittings Pressure Applied Valve</p>	<p><b>N179</b> <i>Ventura</i> WRIGHTBUS GEMINI DD IG4, ADL E200 SD IG4, MCV SD 112/124RLE IG4</p>
	<p><b>O563</b> MANUAL OPERATION 3-2 VALVE – 8MM CONN</p>	<p><b>O563</b> <i>Ventura</i></p>

	<p><b>P535</b> SOLENOID 24 VDC DIN B U77 USED ON P807,P542,Q003,Q330 Q673 VALVES</p>	<p><b>P535</b> <i>Ventura</i> ALL IG4 CAMOZZI SPOOL VALVES</p>
	<p><b>P542</b> VALVE BI-STABLE 24VDC DOUBLE (2x4mm &amp; 2x 6mm elbow + double 6mm input) Pressure Applied Valve  # SEAL REPAIR KIT = VA2983</p>	<p><b>P542</b> <i>Ventura</i> WRIGHTBUS NBFL DD IG4/IG4 PLAT</p>
	<p><b>P807</b> VALVE BI-STABLE 24VDC (2x 6mm elbow) Pressure Applied Valve # SEAL REPAIR KIT = VA2983</p>	<p><b>P807</b> <i>Ventura</i> WRIGHTBUS ECLIPSE SD IG3 + GEMINI DD IG3, ADL E300 SD IG3 + E400 DD IG3, EAST LANCS SD IG3</p>
	<p><b>P862</b> OR LOGIC VALVE (3x 4mm fittings)</p>	<p><b>P862</b> <i>Ventura</i> WRIGHTBUS NBFL DD IG4 PLAT, MCV DD EVOSETI</p>
	<p><b>P985(-KIT)</b> 5/2 VALVE MONO-STABLE (No Solenoid &amp; Fittings)  (&gt;2013 REPLACES E469) NEEDS CONV KIT S031 # SEAL REPAIR KIT = VA2983</p>	<p><b>P985+S031</b> <i>Ventura</i> WRIGHTBUS ECLIPSE SD PS + GEMINI DD PS + STREETCAR PS, ADL E300 SD IG3 + E400 DD IG3/PS, EAST LANCS SD IG3/PS, MCV SD EVOLUTION PS</p>
	<p><b>Q003(-KIT)</b> 5/2 VALVE 24V 5KM/H INTERLOCK (1x4mm &amp; 1x 6mm elbow) (&gt;2013 REPLACING E470) NEEDS CONV KIT S031 – ORDER Q003-KIT</p>	<p><b>Q003+S031</b> <i>Ventura</i> WRIGHTBUS NBFL DD IG4 PLAT/PS, MCV DD EVOSETI PS</p>
	<p><b>Q330</b> 5/2 VALVE 24V DC ASSY (2x4mm &amp; 2x 6mm elbow)</p>	<p><b>Q330</b> <i>Ventura</i> CAETANO IG4 ADL E200 EV</p>

	<p><b>Q331(-KIT)</b> 5/2 VALVE 24V BI-MONO STABLE (Q331-KIT REPLACES J090)</p>	<p><b>Q331</b> <i>Ventura</i> BLUEBIRD RS (ELEC) <b>Q331-KIT</b> <i>Ventura</i> POLISH SCANIA OMINCITY DD IG3/PS</p>
	<p><b>Q673</b> 5/2 VALVE 24VDC ASSY (2x 6mm elbow)  # SEAL REPAIR KIT = VA2983</p>	<p><b>Q673</b> <i>Ventura</i> WRIGHTBUS NBFL DD IG4 PLAT</p>
	<p><b>R010</b> 5/2 VALVE 24 VDC, EXT PILOT</p>	<p><b>R010</b> <i>Ventura</i></p>
	<p><b>R172</b> 5/2 VALVE BI-MONO STABLE</p>	<p><b>R172</b> <i>Ventura</i> CAETANO IG4</p>
	<p><b>R851</b> QUICK EXHAUST VALVE 4MM</p>	<p><b>R851</b> <i>Ventura</i></p>
	<p><b>S031</b> RETRO FIXING KIT FOR ADDING VALVE Q003 (P985) TO OR REPLACING E470 (E469) PART OF Q003-KIT</p>	<p><b>S061</b> <i>Ventura</i></p>

	<p><b>S840</b> 5/2 VALVE 12V DC ASSY</p>	<p><b>S840</b> <i>Ventura</i> <b>BLUEBIRD RS (ELEC)</b></p>
	<p><b>U174(-KIT)</b> 5/2 DUMP VALVE 24vdc FOR WABCO SOLENOID SPRING RETURN (&gt;2014) REPLACING E369</p>	<p><b>U174</b> <i>Ventura</i> <b>WRIGHTBUS STREETCAR PS</b></p>
 <p>PIC TO FOLLOW</p>	<p><b>VA2983</b> VALVE SEAL REPAIR KIT (P807, R010, Q673, R237, VA1742)</p>	<p><b>VA2983</b> <i>Ventura</i></p>